Span

SHELL PUBLIC HEALTH AND AGRICULTURAL NEWS

Index

VOLUME 2 · NUMBERS 1-3 · 1959

Digitized by the Internet Archive
in 2025

https://archive.org/details/span-1958_1959_2_index

Span

VOLUME 2 · NUMBERS 1-3

AUTHOR INDEX

Balsaver, D. M. . . . 122
Bawden, F. C. 6
Bell, N. M. G. 108
Burns, M. M. 19
Cooper, M. McG. . . . 21
Duckham, A. N. . . . 16
Farquharson, I. D. . . . 2
Gibb, J. A. C. 101
Guagliumi, R. 51
Haskell, P. T. 46
Hendrie, J. I. 29
Herklots, G. A. C. . . . 25
Houten, J. G. ten, . . . 89
Innes, R. F. 98
Key, K. H. L. 55
Lane, M. O. 36
Lewis, D. J. 31
Lowe, A. C. 86
McBeth, C. W. 10
McIlroy, R. J. 24
Mes, Margaretha G. . . . 64, 88
Neething, R. J. 52
Nye, G. W. 27
Pampana, E. J. 74
Reeves, Mervyn, . . . 113
Sandford, H. 78
Sanger, A. M. H. . . . 59
Skilbeck, D. 15
Stevenson, Greta, . . . 68
Stovell, F. R. 71
Thomson, A. R. 105
Tickler, G. R. G. C. . . . 39
Tsutsui, K.. 118
Waghorn, J. D. 94

SUBJECT INDEX

A

Aberystwyth 'S' varieties, 63
Acaricide, organo-phosphorus type, 88
  resistance of red spider mite, 92
Adaptation of species to environment, 2, 3
Administration, malaria eradication schemes, 75
Aëdes aegypti, 105 (fig.)
  prevalence in India and Far East, 107
Aëdes africanus, 106, 107
Aëdes (F.) *geniculatus*, 107
Aëdes simpsoni, 106, 107
Aerial spraying. *See* Spraying.
African migratory locust, Nigerian records, 50
Agapostemon, resistance to DDT, 63
Agar-foam, plant nutrient carrier, 90 (fig.)
Agricultural advisory work, Rothamsted, 9
Agricultural botany, 83 BR*
Agricultural chemicals, 29
  fluid kinetics of application, 84 BR
  technical service, training graduates for, 29
  toxicity to bees, 62
  use on coffee, Tanganyika, 78
  value of the market, 86
Agricultural economics, 44 BR, 82 BR
  Latin American countries, 94–5
Agricultural education, 15–30
  courses at Imperial College of Tropical Agriculture, 26
  at University College, Ibadan, 24
  degree courses, Australian universities, 20
  degree standard, Canada, 20–1
    New Zealand, 18
    United Kingdom, 21–3
    United States, 18
  engineering degrees, United States, 101
  for Colonial Services, 27
  for workers in pesticide industry, 29, 30
  post-graduate courses, United Kingdom, 23
  potentialities of television, 113
  tropical agriculture, post-graduate stage, 26, 27
Agricultural engineering, institute at Wageningen, 93
  new National College of, 30
  research projects, North America, 101
Agricultural machinery, field testing, 101
  rubber-tyred, 102
Agricultural research, expenditure, Netherlands, 89
  scientists employed, Netherlands, 90, 93
  Rothamsted Experimental Station, 6 (fig.), 7
Agricultural Research Council, funds for Rothamsted Experimental Station, 7
  research facilities for university men, 23
Agromyza oryzae, 120
Agrotis sp., 37 (fig.)
Agrotis ypsilon, 111
Air pollution, adaptative coloration in insects and, 4
  glasshouse research at Wageningen, 92 (fig.), 93
Alabama argillacea, 109, 111 (fig.)
Aldrin, dust against soil-inhabiting pests of rice, 121
  emulsions, test against rice stem borer, 119
  seed dressings, 36, 37, 111
  toxicity to bees, 59, 60, 61, 62
    to boll weevils, 109
    to cotton plant bugs, 110
    to cotton thrips, 110
    to locust 57
    to rice green caterpillar, 120
    to wild bees, 63
Allethrin, safe to use round bees, 62
Ammonia, anhydrous, for sugar cane, 98
  synthesis from petroleum-derived hydrogen, 117
Ammonia fertilizers, materials for synthesis of, 116
Ammonia liquor, for sugar cane, 98
Ammonium nitrate, blend with chalk, 117
Ammonium sulphate, optimum dressing for rice, 98 (fig.)
  rate for coffee, 78
    for rice, 124
Animal feeding, automatic system, 103 (fig.)
  experiments started at Rothamsted, 7
Anoecia corni, 121
Anomis texana, 109
Ant, control, 97
  insect mimicry of, 3
  mealy bug attendants, control by dieldrin, 79
Antestia, control by DDT and dieldrin, 79
  stages of, 80 (fig.)
Antestiopsis lineaticollis, 79, 80 (fig.)
Anthemis cotula, 72
Anthidium, resistance to DDT, 63
Anthonomus grandis, 108
Anthores leuconotus, 79, 80 (fig.)
Anthracnose, bean, physiologic races of, 92
    resistant bean variety, 92
Anti-Locust Research Centre, new Director, 46

Antibiosis, soil micro-organisms to *Rhizobium*, 65, 66 (fig.)
Antibiotics, as seed dressings, 38
Antibodies, 17 D vaccine, persistence of validity, 107
yellow fever virus, in monkeys, 105
Aphelenchoides cocophilus, 12
Aphids, apple grain, on rice, 121
black bean, control by systemic insecticide, 8
cotton, control by endrin, 109
Japanese dogwood, on rice, 121
ribes root, on rice, 121
Aphis gossypii, 83 BR
control by endrin, 109
yield increase from control, 108
Apple scab, control by Cyprex, 88
Aramite, safe to use round bees, 62
Argentina, grasshopper outbreaks, 96
Army worm, control by endrin, 120
ecology and damage to rice, 120
pest of rice, India, 124
Arsenic compounds, as seed dressings, 36
Arthropods, virus transmission by, 8
Ascochyta pisi, control by antibiotic seed dressing, 38
Atomiser, NIAE experimental design, 39
Atriplex patula, 72
Aubergine, 84 BR
Austracris guttulosa, 55, 57 (fig.)
Australia, agricultural education, 20
anti-locust campaign, 57
Australian ladybeetle, cottony cushion scale predator, 43 BR
Australian plague locust, 55, 56 (fig.)
Austroicetes cruciata, 55, 57
Automatic control, animal feeding system, 103 (fig.), 104
on farm, cost of, 104
Auxin, mechanism of action, 128 BR

B

Bacterial diseases of tobacco, 44 BR
Bacteriophage, research at Wageningen, 91
Bag, plastic film, as silo liner, 102
Baler, bale-thrower attachment, 103 (fig.), 104
Banana, leaf spot, sprays for, 97
nematodes infesting, 11
panama disease, 97
plantations, Latin America, 94, 95
soil fumigation with Nemagon, 12 (fig.)
Banana trash, fertilizer value for coffee, 79
mulch for coffee, 80
Bark geeko, camouflage in, 2
Barley, infested with cleavers, 73 (fig.)
Bean, anthracnose-resistant variety, 92
Bees, insecticide toxicity to, 59
bee danger index (oral) 60, 61
mortality, field counts, 61
relative toxicity of pesticides to, 62
research at Rothamsted, 7
Belonolaimus sp., 112
Belonolaimus gracilis, 11
Bemisia, virus vector, 44 BR
Bemisia gossypiperda, 109
Benzene hexachloride, seed dressings, 36
subsidy for manufacture, S. Africa, 54
toxicity to bees, 60, 61, 62
to locusts, 53, 57
to rice leaf roller, 120
to rice stem borer, 119, 124
to stink bugs of rice, 121
Biological control, in citrus orchard, 43 BR
research at Wageningen, 92
wax bush by grasshopper, 54
Biological laboratory data, 128 BR
Biston betularia, 4 (figs.)
Biston carbonaria, 4 (figs.), 5
Black Fly. *See* Simulium flies.
Black mustard, control by CMPP, 73
Black rice bug, ecology and damage by, 121
Blacktip of coffee, Tanganyika, 79
Blindness in populations of simulium areas, 32
Boll weevil, control by insecticides, 109
cotton losses due to, 108
Boll worm, control, yield gain from, 109 (fig.)
Bone fertilizers, historic use of, 6
Book reviews,
Agricultural botany, by Gill and Vear, 83
Biological Laboratory data, by Hale, 128
Citrus fruits, by Hume, 42
Conservation of natural resources, by Haw, 127
Control of pests and diseases of crops, by Hey and Marshall, 84
Diseases and pests of farm crops, by Bovien and Stapel, 127
Economics of agriculture, by Martin, 82
Grass production, by Voisin, (eng. trans. by Herriot), 126
Insect pests of cotton, by Pearson, 82
Land: The 1958 Year book of Agriculture, Ed. by Stefferud, 44
Micro-organisms in the soil, by Burges, 126
Pest control research, Vol. II, Ed. by Metcalf, 84
Reduction and presentation of experimental results, by Richardson, 84
Tobacco diseases, by Lucas, 44
Tropical agriculture, by Tempany and Grist, 128
Weed Control, by British Weed Control Council, 43
Bordeaux mixture, banana leaf spot control by, 97
coffee leaf rust control by, 81
safe to use round bees, 62
Boron deficiency, Tanganyika, 79
Botany, agricultural, 83 BR
Botrytis allii, 91
Brahman cattle, herded for dipping, Brazil, 97 (fig.)
Brassicae, diseases and pests, identification, 128 BR
Brevicoryne brassicae, 91
British Broadcasting Corporation, 113
'Farming' programme, showing veterinary operation, 114 (fig.)

Broad mite on cotton, control by endrin, 110
Broadbalk field, 6, 8, 9 (fig.)
Brown locust, control, South Africa, 52 (fig.)
life cycle, 53
outbreaks related to rainfall, 50
Brown plant hoppers, control by BHC dust, 120
virus vectors, 120
Bucrates capitata, 51
Buffalo Gnat. *See* Simulium flies.
Bullock-drawn plough, 123 (fig.)
Butterflies, adaptation to environment, 2, 3

C

Cabbage, 'stip', control, 91
Cabbage aphid, vector of cauliflower mosaic virus, 91
Cacopaurus epacris, 11
Calandra oryzae, 125
Calcium arsenate, toxicity to bees, 60, 62
Campion, control by CMPP, 72
Camouflage, insect, 2, 4 (figs.), 5
Canada, agricultural education, 20
agricultural engineering services, 101
television farming programmes, 114
Canadian Farm Buildings Plan Service, 101
Canterbury Agricultural College, degree courses, 19
Captan, 87
in seed dressings, 36
safe to use round bees, 62
Carrot fly, control by insecticidal seed dressings, 92
Cattle, breeding, Brazil, 97
dehorning, BBC television programme on, 114
dipping, Latin American practice, 97
sprayer for, 40
Cattle grub, control by systemic insecticide, 88
Cattle tick, control by Delnav, 88
Cercospora, control in tobacco by seedbed spraying, 44 BR
Cereals, diseases and pests of, 128 BR
seed dressing, 37
variety trials, 84 BR
weed control in, by CMPP, 71
Charlock, control by CMPP, 73
Chenopodium album, 72, 73
Cherry, nematode infestation, 11, 12 (fig.)
Chickweed, control by CMPP, 71, 72, 73
Chilean nitrate, use, Latin America, 96
Chilean Nitrate agricultural service, 93
Chilo suppressalis, 118 (fig.), 119
Chinese wing nut rootstock, for walnut, 11
Chlordane, toxicity to bees, 60, 61, 62
legal restriction on use, 62
Chlorine toxicity, in tobacco soils, 44 BR
Chlorita sp., 109
Chlorobenzilate, precautionary use round bees, 62
Chlorops oryzae, 121
Chlorthion, toxicity to bees, 62
Chortoicetes terminifera, 55, 56 (fig.)
Cirphis unipuncta, 120
Citrus, fruits, 42 BR
nematodes infesting, 10, 11, 14
distributed in planting stock, 12
slow decline, 10
species for extreme climatic conditions, 42 BR
'spreading decline', 11
Clean cultivation, nematode elimination and, 13
Cleavers, control by CMPP, 71, 73 (fig.)
infestation of barley crop, 73 (fig.)
Clover, Aberystwyth S varieties, 63
inoculation, Rhizobium strain effectiveness, 65 (fig.)
root nodule, nitrogen fixation proved in, 68
roots, nitrogen fixation and release from, 66 (fig.)
stimulation by superphosphate, New Zealand, 68
Clubroot of crucifers, physiologic races of, 92
CMMP, 71
formulation of, 71
susceptibility of common weeds to, 73
toxicity to cleavers, 71, 73 (fig.)
use on turf to eradicate speedwells, 72
weed control in cereals by, 71
weeds resistant to, 73
CMU, toxicity to *Kyllinga controversa*, 81
weed control in coffee by, 81
Cocksfoot, weed control by CMPP in, 72
Coccus africanus, 79
Coconut, red ring-causal nematode, 12
Coffea arabica, 78
Coffee, 'bricky' flavour traced to weed killer, 81
'dieback', boron/zinc deficiency disease, 79
insect pests of, Tanganyika, 79
leaf rust attack, 80 (fig.)
control by fungicides, 81
manuring, 78, 79
pest control in, 78
production, economic position, Latin America, 95
soils, Tanganyika, 78
Coffee berry moth, economic importance, 79
Coffee Research Station, Lyamungu, 78
Colletotrichum lindemuthianum, 92
Colonial Agricultural Service, recruitment for, 28
training for, 27
Unified establishment, 28
women extension officers in, 28
Colonial Office Scholarship Scheme, 27, 28
Coloration, adaptive, in animals, 2
protective, in grasshopper, 54
Colza, spraying in bloom with insecticides, 62
Commonwealth Royal Agricultural Societies, Association of, 58
Compaction of soil, by tractor wheel, 102
minimizing by use of 'flotation' vehicle, 102
Composting, urban wastes, 127 BR
Conservation, soil and water, Eastern Africa, 127 BR
Control engineering, at Shell Haven fertilizer plant, 117 (fig.)
Copper fungicides, control of coffee leaf rust by, 81
seed treatment with, 36
use against rice 'blast', 124
Copper oxide, fungicidal value in tobacco diseases, 44 BR

Copper oxychloride, applying to coffee, 81
Copper oxychloride sulphate, safe to use round bees, 62
Copper sulphate, monohydrate, safe to use round bees, 62
Coprosma robusta, nitrogen-fixing ability, 70
Co-Ral, precautionary use round bees, 62
Corcyra cephalonica, 125
Corn buttercup, control by CMPP, 73
Cost, analysis of farming-, 82 BR
automatic control in animal feeding stall, 104
brown locust control, 52
red locust control, 54
simulium fly control, 34
Cotton, economic outlook, 95, 108
insect pests, Africa, 82 BR
marketing, Tschad area, 110 (fig.)
nematode control in, 110 (fig.), 112
seed treatment with aldrin, 37, 111
with systemic insecticide, 38
spraying against boll weevil, Latin America, 96
against jassid, Sudan, 128 BR
wilt resistance, dependence on nematode-resistance, 112
yield response to insecticide treatment, 83 BR
to Nemagon treatment, 112
Cotton leaf roller, 109
Cotton leaf worm, control by endrin, 109
larvae attacking cotton, 111 (fig.)
Cotton stainer, 108 (fig.)
control by insecticides, 110
Cotton stem borer, control by seed dressing, 111
Cottony cushion scale, biological control, 43 BR
Couch grass, survival of weeding practices, 81
Cover crops, for citrus orchard, 42 BR
nematode elimination and, 14
Cowpea, inoculation, Rhizobium strain effectiveness, 65 (fig.)
Creontiades spp., 110
Crop breeding, 83 BR
Crop diseases, 36, 42 BR, 44 BR, 83 BR
control, 84 BR
identification, 127 BR
seed-borne, 38
Crop protection, course at Wageningen, 90
Crop rotation, nematode elimination and, 12
Crops, earliest field experiments on, 6
improvement, Latin America, 96
manuring, historic experiments, 7
nitrogen accumulation under, 69
Crotolaria ochroleuca, inoculated with Rhizobium, 64 (fig.)
Cryolite, precautionary use round bees, 62
CSIRO, work on locust suppression, 57
Cucumber, harvester for, 103 (fig.), 104
Culture media, 128 BR
nutrient-filled agar foam, 90 (fig.)
Cunilate, safe to use round bees, 62
Cuprous oxude, safe to use round bees, 62
Cuttings, rooting stimulants, 128 BR
Cutworm, cotton protected by seed treatment with aldrin, 37, 111
Cyprex, 87, 88

D

2, 4-D, 29
chemical structure and activity, 84 BR
market position, 87
safe to use round bees, 62
weed control in cereals by, 71, 81
Dactylis glomerata, nitrogen-fixing power, 70
Dalapon, control of couch at emergence, 81
use against weeds of coffee, 81
D-D, nematocidal value, 12, 13
persistence in soil, 14
pre-planting treatment of pineapple soil with, 13
DDD (TDE), precautionary use round bees, 62
DDT, 63
antestia control, Tanganyika, 79
date of discovery, 29
oil solution, larvicidal to simulium, 34
manufacture subsidised in S. Africa, 54
market position, 87
residual toxicity to beneficial insects, 80
resistance of thrips to, 80
structure of analogues, 84 BR
toxicity to bees, 60, 61, 62
to pink bollworm, 109
to red worm of raspberry, 91
to rice leaf pests, 120
to yellow fever vectors, 106
Decortication of seed, 36
Delnav, 88
safe to use round bees, 62
Delphacodes striatella, 120
Dengue virus, transmission by Asian mosquito, 107
Denitrification, nitrogen lost to air by, 69
Denmark, Agricultural Information and Advisory Aids Service, 127 BR
Desert locust, cartographic analysis of swarm distribution, 48 (fig.)
egg-laying in relation to rainfall, 49
flight performance and air-speed, 48
swarm, Somaliland, 47 (fig.)
swarm records, 49
Di-Syston, toxicity to bees, 62
Diagnosis of plant diseases, 99, 127 BR
Diarthrothrips coffeae, 79
Diazinon, toxicity to bees, 60, 62
to leaf-miner, 80
Dicapthon, toxicity to bees, 62
Dichloropropene-dichloropropane mixture. *See* D-D.
'Dieback' of coffee, Tanganyika, 79
Dieldrin, aerial application to red locust hoppers, 54
application to coffee trees, 79
control of mosquito vectors of yellow fever, 107
in seed dressings, 36

combined with mercury compound, 37
residual toxicity to predators, 80
toxicity to antestia, 79
to bees, 59, 60, 61, 62, 63
to boll weevils, 109
to broadmite on cotton, 110
to locusts, 57
to plant bugs on cotton, 110
to rice green caterpillar, 120
to rice leaf-miner, 121
to rice stem maggot, 121
to thrips on coffee, 80
to thrips on cotton, 110
to white coffee borer, 79
Dieldrin-fertilizer mixture, use against soil pests, 111
Dieldrin Pilot Project, map of malaria eradication area, 75 (fig.)
transport, Philippines, 76 (fig.)
Digitaria scalarum, 81
Dikraneura sp., 109
Dilan, safe to use round bees, 62
Dimethyl phthalate, simulium fly-repellent, 35
Dinoseb, 71
Diparopsis castanea, 83 BR, 109
Diparopsis watersi, 83 BR, 109
DMC, safe to use round bees, 62
DNOC, aerial application to locusts, adults, 54
toxicity to weeds in cereals, 71
DNOCHP (DN-111), safe to use round bees, 62
DNOSBP (DN-211), toxicity to bees, 62
Dociostaurus maroccanus, 50
Docks, control by CMPP, 72, 73
Dogwood aphid on rice, control by dusts, 121
Downy mildew of onion, prediction of outbreak, 91
Drainage water, nitrogen lost from soil in, 69
Droplet size, Wageningen experiments, 93
Dry rot of potato, control in store, 91
Dunholme Field Station, Lincoln, 7
Dusting machines, production statistics, Japan, 41
Dusts, fungicidal seed dressings, 37
insecticidal, mixed with soil, 36
Dylox (Dipterex), safe to use round bees, 62
Dysdercus spp., 83 BR, 108 (fig.), 110

E

Earias biplaga, 83 BR
Earias fabia, 109
Earias insulana, 83 BR, 109
Economics and agriculture, 82 BR
of chemical pest control, 108–9
Eelworm, biology, Wageningen studies, 92
infestation combined with fungus attack on pea, 92
See also Nematode.
Elephant grass, in coffee plantation, 81
Empire Cotton Growing Corporation, postgraduate training scheme, 27
Empoasca sp., 109
Empoasca facialis, 83 BR
Empoasca lybica, 83 BR
Endrin, toxicity to army worm, 120
toxicity to bees, 59, 60, 61, 62, 63
legal restriction on use, 62
toxicity to boll weevils, 109
to bollworms, 109 (fig.)
to broadmite of cotton, 110
to cotton jassids, 109
to cotton leaf worm, 109
to cotton plant bugs, 110
to cotton white fly, 109
to purplish stem borer of rice, 120
to stem borer of rice, 124
to stink bugs of rice, 121
use prohibited in rice fields, Japan, 119
Engineering, agricultural, research in N. America, 101
Ensilage, pioneer work, Rothamsted, 7
Epidemics, yellow fever, 105
Epilobium erectum, nitrogen-fixing power, 70
EPN, toxicity to bees, 62
to paddy borer, 120
to rice stem borer, 119
ET-57. *See* Trolene.
Ethion (Nialate), precautionary use round bees, 62
Ethyl parathion, toxicity to bees, 60
Ethylene dibromide, nematocidal value, 13
Europe, farm television development by countries, 115
European Productivity Agency, OEEC, 113
Experimental data, statistical analysis, 84 BR
Extractor, mechanical, for honey, 104
Eyespot of wheat, control by intercropping, 8

F

Fanleaf of grape, nematode vector, 11
Farm management, education for, 15
Farming, machinery, field tests, U.S.A., 101
mechanisation, N. America, 101
practices, Latin America, 94
regional practices, U.S.A., 44 BR
subsistence, Indian village, S. America, 95 (fig.)
television programmes, 113
Young Farmer exchange scheme, 58
Fat hen, control by CMPP, 72, 73
FATIS, television conference under aegis of, 113
Ferbam, safe to use round bees, 62
Ferric dithiocarbonate, fungicidal value, 44 BR
Fertilizer requirement, determination, 100
Fertilizers, for citrus crops, 42 BR
for coffee, Tanganyika, 78
for rice, India, 124
for sugar cane, Jamaica, 98
inorganic and organic compared, 8

insecticides applied with, 111
manufacture, Shell Haven plant, 116 (figs.)
sub-surface application to wet rice, 124
used first in 1843, 6
Fibreglass silo, for maize, 102
Field experiments, start of, 1841, 6
statistical method applied to design and analysis of results, 8, 9 (fig.), 84 BR
Fig, nematodes attacking, 11
Flax, diseases and pests, identification, 128 BR
Flight speed, of desert locust, 48
'Flotation' vehicle, 102 (fig.)
Flowering of legumes, day length effect, 66
Flowering plants, weed control in, 43 BR
Fluorine, sensitivity of plants to, 93
Foliar diagnosis, sugar cane, 100
Food and Agriculture Technical Information Service (FATIS), 113
Food and Agriculture Organisation, economic surveys made by, 96
interest in locust control, 50, 51
training courses sponsored by, 89–90
Foot rot of rice, 124
Forecasting locust outbreaks, 50
Forest insects, aerial spraying and dusting, 41
Forest nurseries, fertilizer trials, 8
weed control in, 43 BR
Fork-lift truck, for handling fruit, 103 (fig.), 104
Formaldehyde, seed treatment with, 36
Formulation of weed killers, 43 BR, 71
France, Tele-Club Movement, 113, 115
Frost protection, of citrus, 42 BR
Fruit, setting aids, 128 BR
Fruit tree, acaricide for, 88
Fumigants, use in rice warehouses, India, 125
market position, 86
soil, for tobacco, 44 BR
soil injector, 41
See also D-D, Ethylene dibromide, Nemagon, Vapam.
Fumigation, citrus, 42 BR
test house for air pollutants, Wageningen, 92 (fig.)
Fumitory, control by CMPP, 73
Fungi, culture method, 90 (fig.)
entry into coffee berry damaged by antestia, 79
into cotton after nematode damage, 112
predators of whitefly, 43 BR
seed-borne, 37
soil, 127 BR
Fungicides, aerial spraying, 92
formulation and use on farm crops, 84 BR
market position, 86
research position, 87
rice 'blast' control by, 124
Rothamsted work on, 8
seed dressings, 36
tobacco seedbed sprays, 44 BR
toxicity, innate, 84 BR
use in coffee plantings, Tanganyika, 81

G

Galium aparine, 71, 73 (fig.)
Gall midge, control on raspberry, 91
Gastrimargus musicus, 55, 56 (fig.)
Genetics, gene effects, individual, 5
insecticide resistance aspect, 5
mutation of genes, 3, 4
rice breeding research, India, 125
Genimec control system, 40
Genite 923, safe to use round bees, 62
Germany, university link with industry, 30
Gherkin, mosaic-disease resistant, 91
Gibberellic acid, flowering in legumes and, 66
Gladiolus, fluorine sensitivity, 93
Glasshouse, for fumigation experiments, 92 (fig.), 93
spray equipment, 40
Glossary, weed control terms, 43 BR
Grape vine, fanleaf virus vector, 11
nematode infestation, 10, 11
control by Nemagon, 13 (fig.)
Grass leaf roller, control, 120
Grass species, Aberystwyth S 'varieties', 63
diseases and pests, identification, 128 BR
weed control in seed crops, 72
Grasshopper, control of *tucura* sp., Argentina, 96
correlation with rainfall, Kansas, 50
habit and control, S. Africa, 54
outbreaks, Australia, 55
Grassland, husbandry, institute of, 93
productivity, rotational grazing methods, 126 BR
research programme, Ibadan, 25
weed control in, 43 BR
Grazing, rotational, France, 126 BR
Green manure, crops for rice fields, 124
Green rice leaf hopper, control by BHC, 120
Green scale, on coffee, 79
Growth substances. *See* Plant growth regulators.
Gryllotalpa africana, control by dusts mixed with soil, 121
Guanidine, derivative, fungicidal, 88
Gundhi bug, of rice, India, 124
Guthion, toxicity to honey bee, 62

H

Harvester, cucumber, 103 (fig.), 104
Hawaii, pineapple land fumigation, 12
Hay, bale handling, 104
feeding, self-feed wagon, 104
Heliopeltis spp., 83 BR
Heliopeltis schoutedeni, 110
Heliothis armigera, 83 BR, 109
Heliothis virescens, 109
Heliothis zea, 109
Helminthosporium spp. on rice, 124

Hemileia vastatrix, 80 (fig.), 81
Hemitarsonemus latus, 110
Heptachlor, dust, soil-applied, 121
  seed dressings containing, 36
  toxicity to honey bees, 62
Herbicides. *See* Weed killers.
Heterodera humuli, 12, 13
Hirst automatic spore trap, 9
Hispa armigera, 124
Hoja blanca, of rice, 97
Honey, extraction, mechanised, 104
Honey bees, toxicity of pesticides to, 62
Hop, spray equipment, 40
Hoplolaimus seinhorsti, 112
Hopolaimus uniformis, 92
Hormones. *See* Plant growth regulators.
Horticultural crops, pest control in, 84 BR
  weed control in, 43 BR
Hylemyia platura, 121
Hypothonemus hampei, 79

I

Ibadan, University College at, 24
Icerya purchasi, 43 BR
Imperial College of Tropical Agriculture, 25, 26, 27
India, agricultural production, 125
  Community Development Programme, 125
  rice growing practice, 122
Indian Council of Agricultural Research, 125
Injection, of soil fumigants, 14, 41
Inoculants, commercial, for legumes, 65
Inoculation, yellow fever vaccine, antibody persistence, 107
Insect pests, control, 84 BR
  of cotton, 82 BR, 83 BR
    losses from, 108
  of rice, Japan, 118
  resurgence of virus vector after DDT spray, 91
  soil-inhabiting, control, 111, 121
Insecticide, aerial application, to locust, 54
  to tobacco, 96 (fig.)
  carbamate type, 88
  disease vectors controlled by, 29, 106
  droplet size, Wageningen experiments, 93
  economics of use against simulium, 35
  formulation and use on farm crops, 84 BR
  market position, 86
  research position, 87
  Rothamsted work on, 8
  seed dressings containing, 36, 84 BR
  soil treatment with, 84 BR
  systemic, given orally to cattle, against grub, 88
    in seed dressings, 38
  toxicity to bees, 59, 60, 61
    bee danger index, 60
    field mortality counts, 61
  UNICEF malaria eradication campaign, 63
  use against rice pests, 118, 124
    in cotton growing, yield response, 83 BR
Insecticide-fertilizer mixtures, 111
Insecticide resistance, 88
  as adaptation phenomena, 2, 3
  build up, term misleading, 5
  mechanism of, 5
  of mosquito vectors of malaria, 88
    of yellow fever, 106
  of red spider mite, 92
  of sheep blow fly developed in Australia, 88
  spread of, 84 BR
Insects, adaptation to environment, 2
  effect of sprays on useful, 9
Institute of Phytopathological Research (I.P.O.) Wageningen, 89 (fig.), 90
International Desert Locust Information Service, 50
International Red Locust Organisation, 54
International Convergence Zone, of desert locust, 50
IPC, safe to use round bees, 62
I.P.O. *See* Institute of Phytopathological Research.
Irrigation, citrus crops, 42 BR
  coffee, Tanganyika, 78
  practices in humid areas, 44 BR
  provision for rice growing, 123, 124
  research work at Rothamsted, 8
Irrigation water, fertilizers applied in, 99
Isodrin, precautions for use round bees, 62
Isopestox, toxicity to bees, 60
  legal restriction of use, 62
Isotope dilution method, for determining residues, 84 BR

J

Jamaica, sugar cane research, 98
Japan, insecticides used against rice pests, 118
  spraying and dusting machines, 41
Jassids, on cotton, 128 BR
  control by endrin, 109
Judging, citrus fruits, 42 BR

K

Kallima imachus, 3 (fig.)
Karathane, safe to use round bees, 62
Kelthane, safe to use round bees, 62
Kilimanjaro Native Co-operative Union, 78
Knapsack power duster, adapted to mist spraying, 41 (fig.)
Korlan, precautionary use round bees, 62
Krupuk of tobacco, 44 BR
Kumquat, 42 BR
Kyllinga controversa, control by CMU, 81

L

Lacewing bug, damage to coffee by, 79
Lagynotomus assimulans, 119 (fig.), 121

Lampronia rubiella, 91
Land, rate of loss of cultivable, 29
Land: The 1958 Yearbook of Agriculture, 44 BR
Land Grant College system, U.S.A. 17, 18, 21
Land tenure, reforms, Mexico, 96
world systems, 82 BR
Land use, capability classification, 127 BR
Laphygma exigua, 109
Laphygma frugiperda, 109
Larvicide, DDT as, 34
Latin America, agriculture of, 94
trade agreement between countries of, 95–6
Latin America Coffee Agreement, 95
Lawes Agricultural Trust, 7
Lawes, John Bennett, historic work of, 6
nitrogen assimilation controversy with Liebig, 68
Lead arsenate, toxicity to bees, 60, 62
Leadership, Lord Attlee on, 30
Leaf butterfly, camouflage in, 2, 3 (fig.)
Leaf curl (*krupuk*) of tobacco, insect vector, 44 BR
Leaf hopper, control cotton yield from, 109
virus disease vector, 91, 97, 120
Leaf miner, coffee, biological control, 79
control by diazinon, 80
Leaf rust, of coffee, control, 80 (fig.), 81
Legislation, locust control, S. Africa, 53
noxious weeds, 43 BR
precautions on spraying crops in bloom, bee hazard, 62
seed certification, 43 BR
Legumes, amino-acid metabolism, 66
cross-inoculation groups, 65
diseases and pests, identification, 128 BR
nodule, nitrogen content, 66
symbiotic nitrogen assimilation by, 64
Lema oryzae, 121
Leptocorisa sp., 124
Leptocorisa varicornis, 121
Leptohyimia coarctata, 37
Leucoptera spp., 79
Ley, rotation trials, Rothamsted, 8
Liebig, Baron von, nitrogen assimilation controversy with Lawes, 6, 68
Light intensity, nitrogen assimilation and, 66 (fig.)
Lime-sulphur, spray equipment, 40
Lindane, in seed dressings, 36
toxicity to bees, 36, 62
Linings of plastics, for silo, 102
Livestock industry, Brazil, 97
Locust, African migratory, 50
control, 53, 57
invasion of Venezuela, 51
outbreaks in Australia, 55
research centre, 46
species of S. Africa, 52
swarm mobility, African records, 48
weather relationship, 48
Locust Control Organisation, Pretoria, 53
Locusta migratoria, 55
Locusta migratoria migratorioides, 50
Locustana pardalina, 50, 52 (fig.)
Lodging, of cereals, control by intercropping, 8
Longidorus sylphus, 12
Lorry, self-unloading, 104
Low volume spray equipment, 40
position in Japan, 41
Lygus spp., 110
Lygus vosseleri, 83 BR

M

Macdonald College, agricultural courses, 20, 21
Macropsis fuscula, 91
Maize, mechanized handling, Brazil, 96
seed dressing, 37
storage, silos and linings for, 102
Malaria, deaths caused by, 29
eradication, administrative aspect, 74, 77
eradication campaigns, Mexico, 63
Philippines, transport means, 76 (fig.)
mapping eradication areas, 75 (fig.)
vector resistance to insecticides, 88
Malathion, toxicity to bees, 60, 61, 62
Maneb, safe to use round bees, 62
Map, malaria eradication areas, 75 (fig.)
yellow fever areas, 106 (fig.)
Market garden, spray equipment, 40
Marketing, citrus fruits, U.S.A. 42 BR
cotton, French Equatorial Africa, 110 (fig.)
Massey Agricultural College, degree courses, 19
Mathematical data, for biologists, 128 BR
Matricaria maritima var. *inodora*, 72
Mayweed, control by CMPP, 72
MCP, safe to use round bees, 62
MCPA, 29
activity compared with CMPP, 71, 72
cleavers control and, 71
Mealy bug, on coffee, Tanganyika, 79
Meat production, Brazil, 95
Mechanised farming, progress in Latin America, 96
Mecoprop. *See* CMPP
Megachile, resistance to DDT, 63
MEKOG, origin of, 116
Melandrium spp., 72
Melanism, industrial, in moth, 4 (fig.), 5
Melipona killed by toxaphene, 63
Melissodes, resistance to DDT, 63
Meloidogyne hapla, 11
Meloidogyne incognita acrita, 11
Meloidogyne javanica javanica, 11
Metacide, toxicity to bees, 62
Metatetranychus ulmi, 92
Meteorology, and insect mobility, 47, 51
Methoxychlor, safe to use round bees, 62
Methyl chlorophenoxypropionic acid. *See* CMPP
Methyl mercury dicyandiamide. *See* Panogen

Methyl parathion, against endrin-resistant cotton pests, 111
toxicity to bees, 60, 62
Mexico, malaria eradication campaign, 63
Mid-West Plan Service, 101
Millipedes control, by insecticide-fertilizer mixture, 111
by seed dressing, 111
Mimicry, insect, 2, 3, 54
Mineral deficiency, diagnosis, 79
Mist sprayers, 40 (fig.)
high volume type for Japan, 41 (fig.)
Mite, control on cotton by Delnav, 88
Mitox, safe to use round bees, 62
Mitscherlich response curves, applied to sugarcane yield, 98
Mole cricket, control by dusts mixed with soil, 121
Monkey, infection by *Aedes africanus*, 106
yellow fever virus vector, 105 (fig.), 106
Monuron, safe to use round bees, 62
Moroccan locust, relation to winter rainfall, Cyprus, 50
Mosquito, eradication from domestic containers, 106
insecticide resistance of malaria vectors, 88
spraying campaign, planning, 74
yellow fever virus vector, 105 (fig.), 107 (fig.)
Moth, adaptive coloration, protective, 2
industrial melanism in, 4 (figs.)
Mothproofing, 84 BR
Mulching, coffee with banana trash, 79, 80
weed smothering action of, 80
Muriate of potash, aerial application to sugarcane, 99
Mycology, soil, 127 BR

Nabam, safe to use round bees, 62
Naranga aenescens, 120
National Agricultural Advisory Service, statistical service given by Rothamsted, 9
National College of Agricultural Engineering, 30
National Institute of Agricultural Botany, plant nomenclature, 63
Natural gas, ammonia production from, 117
Natural selection, defined, 3
Neck rot of onion, control by crop drying, 91
Nemagon, 14, 110, 112
banana soil fumigant, 12
trial on vines, 13 (fig.)
Nematocides, research position, 87
trials on perennial crops, 12 (figs.), 13 (figs).
See also D-D, Ethylene dibromide, Nemagon.
Nematode, banana-infesting, 11, 12 (fig.)
cherry-infesting, 11
citrus-infesting, 10, 11, 42 BR
control, 12, 13
clean planting stock, 12
in cotton by Nemagon, 110 (fig.), 112
culture, use of plastic bag, 90 (fig.), 92
cyst hatching factor, 9
grape-infesting, 11, 13 (fig.)
hop-infesting, 12, 13
mint-infesting, 12
movement in soil, 8
peach-infesting, 10, 11
perennial crop infestation, 10
pineapple-infesting, 11–12
strawberry-infesting, 11
tobacco-infesting, 44 BR
virus vector, 11
walnut-infesting, 11, 13 (fig.)
Nematode-*Fusarium* wilt complex, 112
Nematology, research at Wageningen, 92
Nematospora coryli, 79
Neotran, safe to use round bees, 62
Nephotettix bipunctatus cinticeps, 120
Netherlands, agricultural research in, 90, 93
National Council for Agricultural Research, 89
Nettle, annual, control by CMPP, 73
New Zealand, agricultural education, 19
sand reclamation scheme, 69 (figs.)
Nezara viridula, 110
Nialate, precautionary use round bees, 62
Nicotine, safe to use round bees, 62
Nigeria, agricultural degree courses at Ibadan, 24
extension officers required for Northern, 28
Nilaparvata lugens, 120
Nitra-Shell, 117
Shell Haven unit, 116 (fig.)
Nitrogen, release to oats by clover roots, 66 (fig.)
Nitrogen balance in soil, under non-legumes, 69
Nitrogen deficiency, sugar cane, 99
Nitrogen fertilizers, manufacture in Latin America, 96
plant installed, Peru, 96
Shell Haven plant, 116 (figs.)
placement for sugar cane, 99
requirement of sugar cane, 98
sugar cane yield response, nomogram, 98 (fig.)
use for coffee, Tanganyika, 78
Nitrogen fixation, by non-legume, 68
pine forests, New Zealand, 69
proof by nitrogen-isotope technique, 70
by non-symbiotic micro-organisms, 69
controversy over, 6, 68
symbiotic, 64
Nitrogen isotope (N-15), in nitrogen fixation study, 70
Nitrogen metabolism of legumes, biochemistry of, 66
Nodule bacterium. *See* Rhizobium
Nodulation of legumes, 64
Nomadacris septemfasciata, 52, 53 (fig.)
Nomia, resistance to DDT, 63
Nothofagus fusca, nitrogen-fixing power, 70
Nozzle, hollow cone, non-drift, 40
NIAE experimental atomiser, 39

Olive, nematode infestation, U.S.A., 10
OMPA, safe to use round bees, 62
Onchocerca volvulus, simulium fly as vector, 32
Onchocerciasis, human, 32
Onion, downy mildew, prediction of outbreak, 91
  neck rot, prevention by drying, 91
Orache, control by CMPP, 72, 73
Orchard, spraying equipment, 39 (figs.)
Organo-mercury compounds, fungicidal value against rice 'blast', 124
  seed dressings, 36, 37
Organo-phosphorus insecticides, 88
  See also Delnav, Diazinon, Malathion, Methyl parathion, Parathion, Phosdrin, Phostex, Schradan, Trolene.
Ornamental plants, weed control in, 43 BR
Ovex (Ovotran) safe to use round bees, 62
Oxycarenus spp., 110

P

Packaging, citrus fruits, 42 BR
Paddy borer, ecology and damage, 119
Panama, banana trade, 95
  yellow fever eradication, 105, 106
Panama disease of banana, resistant varieties, 97
Panogen, 37
Papaver rhoeas, 73
Paradox rootstock, 11
Parange megeria, 2, 3 (fig.)
Parasites, of cotton insect pests, 83 BR
Parathion, toxicity to bees, 60, 61, 62
  toxicity to leaf hoppers of rice, 120
    to paddy borer, 120
    to rice stem borer, 119, 124
Parnara guttata, 118 (fig.), 120
Patent coverage, of pesticides, 86
PCP, effect on coffee quality, 81
  mixed with 2, 4-D, use against weeds in coffee, 81
Pea, damage by eelworm and Fusarium combined, 92
  seed dressing with antibiotics, 38
Peach, nematode infestation, 10, 11
Pedal-thresher, Japanese, for rice, 124
Pennisetum purpureum, 81
Pentatrichopus fragaefolii, 92
Peppered moth, cryptic and melanic forms, 4 (figs.)
Peronospera destructor, 91
Perthane, precautionary use round bees, 62
Pest control, economic results on cotton, 108–9
  research results, 84 BR
Pesticide, development, training graduates for, 30
  function and use of, 29
  industry, review, 86
  spray damage to bees, West Germany, 59
  use in Latin America, 96
Pesticide residues, analysis, by isotope dilution method, 84 BR
Pests, of citrus, 42 BR
  of crops, illustrated, 127 BR
Pe-tsai, 84 BR
Phaulacridium vittatum, 55
Pheidole punctulata, 79
Phenology, in insecticide research, 92
Philippines, Dieldrin Pilot Project, 75, 76 (fig.)
  malaria eradication map, 75 (fig.)
Phostex, safe to use round bees, 62
Phosdrin, 88
  precautionary use round bees, 62
Phosphate fertilizers, sugar cane response, 99 (figs.)
Phosphorus deficiency, symptoms in sugar cane, 99
Phosphorus in soil, Truog data for cane soil, 99
Phytophora, control in tobacco by seedbed spray, 44 BR
Phytotoxicity, of Cyprex, 88
  seed dressing risk, 36, 38
Pig feeding, automatic equipment, 104
Pimaricin, in pea seed dressing, 38
Pine, growing on sand dune, New Zealand, 69
Pineapple, nematode infestation, 10, 11, 12
  soil fumigation, Hawaii, 12, 13
Pinus radiata, growing on sand, New Zealand, 70 (fig.)
  nitrogen-fixing power, 70
Pink boll worm, control by DDT-endrin, 109
Piricularia oryzae, 124
Planococcus kenyai, 79
Plant breeding, research centres, Latin America, 97
Plant bugs on cotton, control, 110
Plant disease resistance, 92
Plant growth regulators, 128 BR
Plant hoppers of rice, ecology and control, 120
  virus vectors, 120
Plant nutrients, soil balance sheet, 6
  removal in sugar cane crop, 98
Plant pathology, 127 BR
  work of I.P.O., Wageningen, 90
Plant protection service, Wageningen, 93
Plant viruses, research at Rothamsted, 7
Plantector field sprayer, 40 (fig.)
Plants, nomenclature, variety to replace strain, 63
  soil-conserving, 127 BR
Plasmodiophora brassicae, 92
Plastic bag, carrying culture medium, 90 (fig.)
Platyedra gossipiella, 83 BR, 109
Plot size, small, in rice growing, India, 124
Ploughing with bullocks, 122, 123 (fig.), 124
Polygonum persicaria, 72
Poppy, control by CMPP, 73
Population, rate of increase of world, 29
Portugal, yellow fever epidemic, 105
Potash deficiency, symptoms in cane, 99
Potash in soil, limit for sugar cane, 99
Potassic fertilizers, economic response, 99
Potato, diseases and pests, identification, 128 BR
  storage conditions to prevent disease, 91

virus diseases, research, 91
X-virus diseased, treatment, 91
Potato-leaf roll, control by persistent insecticides, 8
Potato root eelworm, search for systemic nematocides against, 92
Potter tower, developed at Rothamsted, 9
Power requirements of agriculture, 102
Powermist sprayer, 40 (fig.)
Pratylenchus brachyurus, 12
Pratylenchus coffeae, 11
Pratylenchus delattrei, 112
Pratylenchus penetrans, 11
damage to seedling cherry, 12 (fig.)
Pratylenchus vulnus, 11
damage to walnut, 13 (fig.)
Preharvest drop, control, 128 BR
Prodenia litura, 109
Propagation, citrus fruits, 42 BR
Psallus seriatus, 110
Psila rosae, 92
Pterocarya stenoptera, 11
Public health, administration defined, 75
malaria eradication, 74
Puccinia glumarum, 92
Puddling, paddy fields, 123 (fig.), 124
Purplish stem borer, damage by, 120
Pyrethrins, safe to use round bees, 62
Pyrethrum, synergised, against coffee pests, 80
Pythium, control in tobacco, 44 BR

Q

Quarantine regulations, yellow fever, 107

R

Radioactive isotopes, analytical use, 9
Radish, nitrogen-fixing power, 70
Radopholus similis, 11
Rainfall, egg-laying habit of locust and, 49
nitrogen supplied to soil by, 69
'Rapid' sprayer, 40 (fig.)
Raspberry, protection against gall midge, 91
rubus-stunt, vector, 91
Reclamation, land, 93, 127 BR
sand dunes by afforestation with pine, 69
Red locust, 52, 53 (fig.)
outbreaks and control, S. Africa, 54
Red ring of coconut, 12
Red spider mite, resistance to pesticides, 92
Redshank, control by CMPP, 72
'Red-worm' of raspberry, control by tar-oil winter wash, 91
Replanting fruit trees, failure due to nematodes, 10
Rhizobium, host specificity, 65
inoculation with, 64 (fig.)
microbial antagonists of, 64
nitrogen fixation by, 8
strain efficiency, S. Africa, 64
survival in soil, 66
Rhizoctonia potato disease, 91
Rhophalosiphum prunifoliae, 121
Rhubarb, weed control in, 72
Ribes root aphid on rice, dusting, 121
Rice, breeding, 125
dry cultivation by bullock-drawn implements, 124
fungus diseases and loss from, 124
growing in India, 122
harvesting and threshing, 124
insect pests of dryland-, 121
irrigation facilities, India, 123
manuring, 124
mechanised harvesting, Panama, 96
pest control, expenditure in Japan, 118
pests and diseases, India, 124
pests of stored, 125
research stations, India, 125
seed dressing, 37
spray equipment for irrigated, Japan, 41
variety adaptation, India, 122
virus disease, *hoja blanca*, 97
wet cultivation, hand labour, 124
Rice 'blast', control, 124
Rice bug, control, 121
Rice green caterpillar, control, 120
Rice hispa, 124
Rice leaf beetle, control, 121
Rice leaf miner, 120
control by dieldrin, 121
Rice leaf roller, control, 120
Rice moth, protecting stored rice against, 125
Rice plant skipper, control by DDT, 120
Rice stem borer, 118 (fig.), 119
control by insecticides, 119, 124
Rice stem maggot, 121
control by dieldrin, 121
Rice stink bug, 119 (fig.)
control by insecticides, 121
Rice weevil, protecting stored rice against, 125
Rimocidin, in pea seed dressings, 38
River-blindness, 33
Rock phosphate, for sugar cane, 98
Rodolia cardinalis, 43 BR
'Rollervane' pump, 40
Rootstocks, citrus, frost-resistant, 42 BR
grape, nematode-imune, 11
nematode-resistant, 13
peach, immune to root-knot, 11
walnut, 11
Royal Agricultural Society of England, Woburn farm established, 7
Rotary hoe, use in rice areas, India, 124
Rotenone, safe to use round bees, 62
Rothamsted Experimental Station, history, 7 (fig.)
work of, 6 (fig.)
Rotylenchulus sp., 11, 112

Rotylenchulus reniformis, 12
Rumex crispus, 72
Rumex obtusifolius, 72
Rust, of coffee, 80 (fig.)
of wheat, shown on glass mosaic, 90 (fig.)
Ryania, safe to use round bees, 62

S

Sabadilla toxicity to bees, 62
Sacadodes pyralis, 109
Saimiri sciureus, 105 (fig.)
Sampling, sugar cane for tissue test, 100
Sand dunes, afforestation with non-legumes, 69
Scale insect, predator of, 43 BR
Schistocerca impleta, 51
Schoenobius incertulas, 119, 124
Scholarships, agricultural, for Colonial Services, 27, 28
Scotinophora lurida, 121
Schradan, toxicity to bees and legal restriction on use, 62
Seed, certification scheme, U.K., 43 BR
disinfection before drilling, 36
germination, aids to, 36
effect of soil compaction, 102
production, 84 BR
testing, Latin American service, 97
Seed-borne diseases, danger from, 38
Seed corn maggot, soil-inhabiting, control, 121
Seed disinfectants, 36, 37, 84 BR, 111, 124
fungicide-insecticide, 36, 112
liquid, 37
machines for applying, 38 (fig.)
slurries as, 38
systemic insecticide in, 38
use against carrot fly, 92
Seed testing station, Wageningen, 93
Sesbania speciosa, 124
Sevin, market position, 88
toxicity to bees, 62
Sheep blow fly, insecticide resistance, Australia, 88
Shell Haven, fertilizer plant, 116 (fig.)
Shepherd's purse, control by CMPP, 73
Silage, self-feed wagon, 104
Silo, fibreglass, 102
vitreous-lined steel, 102
Silver scurf of potato, control in store, 91
Simulium, biology of, 33, 34 (figs.)
animal-biting, 33
larvae, 32 (figs.), 33 (fig.), 34
man-biting, 31
pupa, 33 (fig.), 34
Simulium arcticum, 34
Simulium columbaczense, animal losses from, 33
Simulium damnosum, 31 (fig.), 32, 34
aerial spraying of adult, with DDT, 34
vector of *Onchocerca microfilariae*, 33
Simulium griseicolle, plague of Sudan, 32
turkey losses due to, 33
Simulium hirtipes, river-bed population of larvae, Canada, 32
Simulium metallicum, 32
Simulium neavei, 32
control by DDT larvicides, 34
larvae identified on crabs, 34
vector of *Onchocerca microfilariae*, 33
Simulium ochraceum, 32
Simulium venustum, 32
'Slow decline' of citrus, 10
Small plague grasshopper, 57
Smithfield Show, spray equipment exhibitors, 39
Smoke injury to plants, test house, 92, 93
Society for Extending Rothamsted Experiments, 7
Sogata furcifera, 119 (fig.), 120
Soil, nitrogen balance sheets, 70
self-mulching, as index of locust outbreak area, 56
structure, 8, 126 BR
Soil analysis, for mineral deficiency, 99
Soil microbiology, 68, 126 BR
Soil micro-organisms, historic work, 7
nitrogen-fixing, 68, 69
Soil survey, 7, 93
South Africa, brown locust campaign, 52
grasshopper incidence and control, 54
red locust menace, 54
Spacing, coffee transplants, Tanganyika, 79
Spain, yellow fever mortality statistics, 105
Speedwells, control by CMPP, 72
Spider mite, on cotton, control, 109
Spiny boll worm, control, 109
Spodoptera mauritia, 124
Spondylocladium atrovirens, 91
Spraying, aerial, 54, 57, 92, 96 (fig.)
development in Japan, 41
prospects in India, 124
aircraft with insecticides, 107
citrus crops, 42 BR
mosquitos, in dwellings, 74
team employed in malaria eradication, Tanganyika, 77 (fig.)
plants in bloom, bee hazard, 61, 62
practice for cotton, Sudan, 110
Spraying machines, on coffee plantation, 81
production statistics, Japan, 41
single-wheeled, for small scale use, 40
Smithfield Show exhibits, 39 (fig.)
weed control types, 43 BR
'Spreading decline', of citrus, 11
Starling, control, scare method, West Germany, 113 (fig.)
Statistics, agricultural production, Netherlands, 89
expenditure on pesticides, Japan, 118
rice production, India, 122
Stellaria media, 71, 73
Stephanoderes, damage to coffee by, 79
Stink bugs, damage by and control, 121
Strawberry, nematode infestation, 11
Strawberry aphid, virus disease vector, 92

Stubby root of citrus, 11
Subsoil, nitrogen fertilizer placed in, 99
Sugar, price stabilisation, 95
Sugar beet, diseases, identification, 128 BR
field trials, 8
nematode infestation, 10
yellows viruses, control by persistent insecticides, 8
Sugar Beet Research and Education Committee, 8
Sugar cane, advisory service, West Indies, 27
manuring, 98
nutrient deficiency symptoms, 99
plantations, Latin America, 94
ratoon crop, manuring, 99
Sugar refinery, Santa Teresa, Venezuela, 94 (fig.)
Sugar technology, course at ICTA, 26
Sulphenone, safe to use round bees, 62
Sulphur, safe to use round bees, 62
toxicity in tobacco soils, 44 BR
Sulphur dioxide, effect on crop plants, 93
Sulphuric acid, seed soaking in, 36
Sunnhemp, green manure for rice, 124
Super Phosphate of Lime, 6
Superphosphate, rate for rice, 124
Susumia extigua, 120
Swarming caterpillar, of rice, 124
Sylepta derogata, 109
Systox, toxicity to bees, 60, 61
legal restriction on use, 62
precautionary use, 62
toxicity to spider mites, 109

T

2, 4, 5-T, safe to use round bees, 62
Tanganyika, coffee growing, pest control in, 78
mosquito spraying operations, 77 (fig.)
Tank, moulded fibreglass, 39
Tar-oil winter wash, pest resurgence and, 91
Tartar emetic, precautionary use round bees, 62
Teak plantation, Ibadan College, 25
Tedion, precautionary use round bees, 62
Tele-Club Movement, France, 113
Television, Conference, 113
services in European countries, 113
statistics of transmitters and receivers, 115
Temperature, weed spraying with CMPP and, 72
TEPP, toxicity to bees, 62
Termites, control, 111
by seed treatment, 111
Terracing, 127 BR
Tetramethylthiuram disulphide (TMTD), 86
Tetraneura ulmi, 121
Tetratranychus telarius, 109
Thimet, in cotton-seed dressings, 38
precautionary use round bees, 62
Thiocarbamate fungicides, 87
Thiodan, precautionary use round bees, 62
Thiram, in seed dressings, 36
safe to use round bees, 62
Thliptoceras octoguttalis, 79
Thomasiniana theobaldi, 91
Threshing, method for rice, India, 124
Thrips, on coffee, 79
control by dieldrin, 80
Thysanoptera spp., 110
Tissue diagnosis, applied to sugar cane, 100
Tobacco, diseases, 44 BR
plantation, aerial spraying, 96 (fig.)
root-knot, 44 BR
seedbed, spraying with copper fungicides, 44 BR
spray equipment, Japan, 41
Toxaphene, toxicity to bees, 60, 61, 63
Trace elements, sprays for coffee, Tanganyika, 79
Tractor, tandem, economics of use, 102 (fig.)
Trade agreements, Latin American countries, 95
Transplanting, rice seedlings, 124, 125 (fig.)
Trash, sugar cane, phosphate applied in, 99
Trichloroacetic acid, phytotoxicity to coffee, 81
Trichodorus sp., 11, 112
Trinidad, nitrogen fertilizer factory, 96
work of Imperial College, 25
'Tripping of flowers', 84 BR
Trithion, precautionary use round bees, 62
Trolene, 88
Tropical agriculture, book for students, 128 BR
demonstration plots, Ibadan, 25
training for, 27
work of ICTA, Trinidad, 25, 26
Tropidacris latreillei, 51
Truck, fork-lift, 103 (fig.), 104
Truog extractant, 99
Tucura grasshopper, control, 96
Turf, weed control in, 43 BR
Turmeric powder, in protection of stored rice, 125
Tylenchorynchus sp., 112
Tylenchulus semipenetrans, 10, 12, 42 BR

U

Uganda, women graduate field staff, 28
United Kingdom, agricultural education, 21–3
United Nations Children's Fund (UNICEF), malaria protection work and finance, 63
United States, agricultural education, 16
agricultural engineering services, 101
land resources and utilization, 44 BR
television farming programmes, 114
'TV Package' visual material, 114 (fig.)
yellow fever mortality statistics, 105
University College of the West Indies, plan for integration with ICTA, 26
Urea, aerial application to sugar cane, 99
Urtica urens, 73

V

Vaccination, 17 D yellow fever vaccine, 107
'Variety', standardization of term, 63
Vegetables, spray equipment, Japan, 41
  weed control in, 43 BR
Venezuela, locust invasion, 51
  sugar refinery, 94 (fig.)
Venturia inequalis, 88
Veronica spp., control by CMPP, 72
Vetch, control by CMPP, 73
  nitrogen content at flowering, 66
Veterinary science, courses at Canadian colleges, 20
Virus diseases of plants, 83 BR, 91, 97
  barrier crops against, 8
  nematode vector of, 11
  research at Wageningen, 91, 92
  resurgence of vector after DDT spraying, 91
  spread prevented by insecticides, 44 BR
  transmission by arthropods, 8

W

Wageningen Agricultural Centre, 89 (figs.)
Wagon, self-feed for cattle, 104
Wall butterfly, protective adaptation, 2, 3 (fig.)
Walnut, nematode infestation, 10, 11, 13 (fig.)
Wasp mist blower, tractor-mounted, 39 (fig.)
Water conservation, U.S.A. practice, 44 BR
Wax bush, biological control, 54
Weather, insect distribution and, 50
  study at Rothamsted, 9
Weed control, chemical, 43 BR, 62, 81
  glossary of terms, 43 BR
  spray equipment for, 43 BR
Weed killers, 71, 73, 128 BR
  classification and terminology, 43 BR
  market position, 86
  permissible in coffee plantation, 80
  research position, 87
  spray damage to bees, West Germany, 59
  See also CMPP, 2, 4-D, 2, 4, 5-T, Trichloracetic acid
Weeding rice field, 124
Weeds, eradication of perennial, 81
  flowering, spray damage to bees and, 59
  function of, in coffee plantation, 80
  identification, 84 BR
  legal position of noxious, 43 BR
  pre-harvest desiccation, 43 BR
  research work, Rothamsted, 8
  susceptibility to common herbicides, 43 BR, 73
West African Stored Products Research Unit, 25
West Indies, Imperial Department of Agriculture, 27
Wheat, combine harvesting, Latin America, 96
  rust invasion, shown in glass mosaic, 90 (fig.)
  seed dressing with mercuryl-dieldrin product, 37
  use of CMPP on Koga II variety, 71
Wheat bulb fly, control by seed dressing, 37
White-back plant hopper, 119 (fig.)
  control by BHC dust, 120
White coffee borer, 79
  damage to coffee by, 80 (fig.)
Whitefly, biological control, 43 BR
  control by endrin, 109
White grubs, control by insecticide-fertilizer mixture, 111
'White heads' in rice, causal agent, 120
White mustard, control by CMPP, 73
Wild bees, toxicity of insecticides to, 63
Wild radish, control by CMPP, 73
Willow beauty moth, adaptative colouration, 2
Wilt resistance, dependence on nematode resistance, 112
Wind, locust swarm movement and, 48
Wireworm, control by insecticide-fertilizer mixture, 111
  control by seed treatment, 111
'Witches' broom' of raspberry, 91
Wood apple, citrus species, 42 BR
World Health Organisation, 88
  Expert Committee on Malaria, 74
Worm, nematode, causal organism of onchocerciasis, 32, 33

X

Xiphinema index, 11

Y

Yellow fever, control methods, 106
  cycle of infection, Central Africa, 107 (fig.)
  endemic areas, WHO map, 106
  jungle type, epidemics, 105, 106
  virus, mosquito vector of urban, 105 (fig.)
Yellow rust of wheat, physiological races of, 92
Yellow-winged locust, 55, 56 (fig.)
Yield response, correlation with tissue composition, 100

Z

Zig-zag stripe leafhopper, control, 120
Zinc deficiency, coffee, Tanganyika, 79
Zineb, safe to use round bees, 62
Zonocerus elegans, protective devices, 54

Westerham Press

Span Index